

DPW REPORT FOR THE MONTH OF JANUARY 2012

- Sanded and plowed snow from streets and lots and plowed snow from sidewalks as needed.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Routine sewer flushing.
- Hauled sand to be mixed with salt for road surface treatment during the winter months. Assisted by Town.
- Mixed sand and salt for road surface treatment during the winter months. Assisted by Town.
- Took down Christmas decorations on Main Street light poles.
- Took down Christmas decorations that were on Municipal Building.
- Fixed broken wires on water meter reading units at various residences in Village that were not working properly.
- Worked on testing Back-Flow Devices at area businesses required to have them.
- Installed a One Way sign and post at the northwest corner of the North Third and Chestnut Street intersection.
- Finished picking up Christmas Trees that were put out to curbs by village residents.
- Ordered the Chlorine / Fluoride Analyzer Equipment to be added to the Water SCADA Alarm System.
- Newly installed Water/Sewer SCADA and Alarm System is progressing well - system is on line - still getting various connections in system organized.
- Replaced two broken street light lamp globes on West Main Street – one in front of The Other Place and one in front of Allegany Laminating.
- Met with Jim Hannon and discussed concerns with Tiller project.

DPW REPORT FOR THE MONTH OF FEBRUARY 2012

- Sanded and plowed snow from streets and lots and plowed snow from sidewalks as needed.
- Lance did Code as needed – see Code Enforcement Blotter.
- Annual Fire Inspections were conducted at area businesses in need of same.
- Did water, sanitary sewer and storm sewer locates as needed.
- Routine sewer flushing.
- Cleaned out back shop area.
- Patched potholes throughout Village with cold patch.
- Worked on testing Back-Flow Devices at area businesses required to have them.
- The newly installed Water/Sewer SCADA and Alarm System are now in service. Training has occurred with staff. Found problems with tank level alarm mechanism. Parts have been ordered to remedy the problem.
- Replaced the electric eyes on four street lights on West Main Street.
- Jobe and Peterson attended backflow recertification training in Rochester, NY.
- Sent Catalano Plumbing's small camera out the four inch sewer line of Allegany Community Federal Credit Union. Investigating area due to sink hole near an electric pole on property, believe pole may have compromised the main sewer line located in front of the building.
- Parts have been ordered for additions to the newly installed SCADA / Alarm System: remote access to System, adding alarm contacts to Sewer Lift Station #1 and #2 and adding smoke detector alarms at Municipal Building.
- Supplied Engineer Jim Hannon more maps and data for engineer response pertaining to questions and/or concerns with Tiller project.
- Worked on 2012-2013 Street, Water and Sewer Fiscal Budgets.

DPW REPORT FOR THE MONTH OF MARCH 2012

- Sanded and plowed snow from streets and lots and plowed snow from sidewalks as needed.
- Replaced brooms on Street Sweeper and got it ready to start sweeping village streets.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Swept all village streets with street sweeper
- Ran sewer root cutter through sewer lines on White Oak, Upland Terrace, east end of Chestnut Street, west end of Harriet Street and west end of West Main Street.
- Routine sewer flushing.
- Water meters were read for water/sewer quarterly billing.
- Serviced lawn tractor and zero-turn to prepare it for usage
- Patched potholes throughout Village with cold patch.
- Worked on testing Back-Flow Devices at area businesses required to have them.
- Christmas trees and storm damaged trees/branches that were collected and taken to town pit were chipped by village and town personnel.
- City of Olean assisted us with running their sewer camera through some of our sewer lines to collect data for our records. Camera was also used to collect data for Tiller project area:
 - Area of Harriett and Chestnut Street – found water running in Storm Sewer Line and also in the Sanitary Sewer Line apparently from a possible water leak in area - currently looking into same.
 - Area of Allegany Credit Union – found sewer lateral from Allegany Credit Union was sticking into the main sewer line which kept camera from continuing
 - Area of North and South First Street - found two sewer manholes whose tops were buried on sewer main trunk lines one on North First near Main Street – manhole connects north side of West Main with First Street sewer line and one on South First between West Main and Rail Road tracks – manhole connects connect main sewer lines from area behind south side of W. Main Street and South First Street
 - Also checked Main Sewer trunk Line From Maple Avenue to Lift Station #1 – no signs of major infiltration were observed however did experience trouble with camera going through sewer line due to excessive gravel and sand settling on bottom of sewer line in area of in front of Fire Hall to Sewer Manhole located at North First and West Main. Currently making plans to get line cleaned out.

DPW REPORT FOR THE MONTH OF MARCH 2012 Continued

- Discovered water service lines which serve 83 N Forth Street and 39 Chestnut Street are leaking. In process of contacting both property owners to advise new water service connections need to be installed to rectify the situation. Also noticed both dwellings are currently serviced by one service line and need to be changed to have separate services.
- Raised a buried sewer manhole that was located on South First Street so it could be accessible.
- Supplied Engineer Jim Hannon more maps and data for engineer response pertaining to questions and/or concerns with Tiller project. Went with Mr. Hannon to lift sewer manholes so he could collect data for his report pertaining to the project. Also sent disc with camera video showing interior of sewer lines in area of White Oak and Upland. Hannon Engineering supplied his recommendation pertaining to the Tiller Project which concluded: The Applicant's/Sponsor's Engineer should bear the burden of devising the best and most responsible method to sewer the subdivision. They should then advise the Village how they would like to proceed and the Village can further review and comment. It is the Applicant's/Sponsor's responsibility to the Village and their residents to fully research all reasonable alternatives and prove that their assumptions were appropriate and that they will not have adverse impacts now or in the future. At this point and time, we do not believe that they have met that burden of proof.
- Highly recommend and ask if the Village Board would consider rescinding their decision to permit sewer hookup for the Tiller Development Project at the St. John's sewer line and reconsider the original Village Board resolution permitting sewer hookup for this project at the North Seventh Street sewer line, as it would be in the best interest to the Village and its residents.
- Worked on 2012-2013 Street, Water and Sewer Fiscal Budgets.

DPW REPORT FOR THE MONTH OF APRIL 2012

- Picked up weeds, leaves, tree limbs and other yard waste that was put out to curbs by village residents.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Swept some streets with street sweeper.
- Routine sewer flushing.
- Continued on testing Back-Flow Devices at area businesses required to have them.
- Worked on equipment – serviced smaller vehicles and/or equipment – worked on getting lawn mowers, rollers and other small equipment ready for use for warmer months.
- Started digging up and installing a water service line at Water Well House No. 1 to supply water to future Chlorine and Fluoride Analyzer Equipment that will be installed at that location in near future.
- Dug up a buried sewer manhole cover on North First Street – temporarily recovered and will finish when materials are gotten to raise manhole up to top of roadway surface.
- Fixed a leaking water service on Elm Street.
- Motor at Water Well House No. 3 was making loud noise and needed to be taken out of service until it could be inspected. Water Well No. 3 was on schedule to be inspected and/or serviced this year so company doing same came early to conduct the scheduled inspection. Motor was taken out and sent to be inspected and we are currently waiting for a repair estimate. Well casings and well pump were taken out and inspected and are in need of excessive repair or replacement. Repair would cost close to what replacement would be. Repairs were made back in 1994 and again in 2000. Repair of Casings and Pump cost is \$10,180.00. Recommend that Board approve to repair motor, and replace well casings and pump so Well House No. 3 can be put back in service. Board Members were all asked to stop by site to be able to ask questions to have better understanding on and see the casings and pump that were taken out and need repair/replacement.
- Cleaned out and moved equipment around in DPW Building to make room for equipment that used to be located at old Fire Hall Bldg. and was temporarily being stored by Town.
- Worked on and Submitted 2012-2013 Street, Water and Sewer Fiscal Budgets.

DPW REPORT FOR THE MONTH OF MAY 2012

- Picked up weeds, leaves, tree limbs and other yard waste that was put out to curbs by village residents. Last day of pickup was May 14, 2012 per Village Board.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Swept all streets in village with street sweeper. A switch controlling the gutter broom and an intake hose on the village sweeper need to be replaced and parts have been ordered. Used town sweeper to finish sweeping streets.
- Started cleaning roots gravel and other debris out of sewer main lines using sewer root cutter and water pressure attachment. Areas completed to date - Nolan Drive, Upland, White Oak, Pierce and part of Devereux Drive. .
- Completed testing of Back-Flow Devices at area businesses required to have them.
- Motor at Water Well House No. 3 was sent to in Volland Electric located in Cheektowaga, NY and was rebuilt and is now ready to be put back in at the Well House. Waiting on well casings and pump that was ordered and once they come in Moody will schedule a crew to install the new well casings, pump and rebuilt motor.
- Crews called out for sewer clog on Maple Ave Extension.
- Put up Flag Poles and Flags on light poles along Main Street.
- Crew was called out to take care of a sewer clog on Sherwood Drive.
- Mulch was put down in planters on Main Street.
- Started weeding between bricked are and sidewalk blocks on Main Street area and spraying weed killer to help prevent them from re-growing.
- Recommend a letter be sent to all Main Street Businesses asking that they assist in helping to keep the Main Street area looking good.
- Crews called out for water problem at water tank. Tank level indicator was faulty.
- Crews were called out for a Sewer clog on North Fourth Street near the old high school.
- Dug up and repaired a water service shut off that was buried under the sidewalk at 1 Saint Mary's Drive. Two sidewalk blocks needed to be removed to get to shutoff.

DPW REPORT FOR THE MONTH OF JUNE 2012

- Swept streets in village with street sweeper.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Cleaned off tops of Storm Sewer Catch Basins as needed.
- Continued cleaning roots gravel and other debris out of sewer main lines using sewer root cutter and water pressure attachment. Areas cleaned - Devereux Drive, Jefferson Ave, Sherwood Ave.
- Water meters were read for water/sewer quarterly billing.
- Still waiting on shipment of well casings and pump that was ordered to be installed at Water Well House #3. As soon as they arrive Moody will schedule a crew to install the new well casings, pump and rebuilt motor.
- Put down topsoil and seeded same in subways throughout village where damage occurred due to snowplowing roadways and sidewalks during winter months.
- Patched pot holes throughout village with hot blacktop.
- Worked on getting the Police / EMT building at Firemen's Park ready for Old Home Week Activities.
- Painted and put down glass beads on crosswalks in village.
- Put up and took down temporary No Parking Signs on Pine Street, Elm Street, North First Street and in areas of the Fire Station in preparation for Firemen's Old Home Week Activities.
- Swept Main Street area prior to and after Old Home Week parades.
- Put out and picked up detour signs in areas on Main Street Route 417, Union Street and First Street/ Five Mile for established detours for parades conducted for annual Old Home Week Activities.
- Replaced light bulbs on Main Street light poles in need of same.
- Replaced sidewalk blocks on North Fourth Street and Saint Mary's Drive in areas where they were taken out due to water service shut offs needing to be repaired.

DPW REPORT FOR THE MONTH OF JUNE 2012 Continued

- Worked on water line installation at Well House #1 for future Chlorine/Fluoride Monitoring Equipment hookup. Also ran a conduit from the Well House to the Fire Department building for possible future sharing of generator / fire and/or heat alarm hookups.
- Sidewalks in need of repair or replacement in village are currently being marked by Code Officer Jobe.

DPW REPORT FOR THE MONTH OF JULY 2012

- Swept streets in village with street sweeper.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Cleaned off tops of Storm Sewer Catch Basins as needed.
- New well casings, pump and rebuilt motor were installed at Water Well House #3. Well House #3 was put back in service.
- Crews called out on two separate occasions due to storm damages where tree limbs were brought down by strong thunderstorms that came through area.
- Picked up tree limbs that came down from thunderstorms and were put out to curbs by residents for the two separate storms.
- Contacted Covey Tree to remove a dangerous tree that partially came down in area of Oak Street near Sixth Street as a result of both storms that came through area.
- Finished water line installation at Well House #1 for future Chlorine/Fluoride Monitoring Equipment hookup. Made restorations to area dug up to install same.
- Installed water line at Well house #2 for future Chlorine/Fluoride Monitoring Equipment hookup. Made restorations to area dug up to install same.
- Dug up and repaired a leaking water main on Chestnut Street in area of the Chestnut/Harriet intersection.
- Worked on grinding out and putting in new blacktop at various bad spots in roadway on Union Street in preparation to be resealed.
- Worked on filling cracks with crack fill in roadways in need of same.

DPW REPORT FOR THE MONTH OF AUGUST 2012

- Swept streets in village with street sweeper.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Cleaned off tops of Storm Sewer Catch Basins as needed.
- Covey Tree removed a dangerous tree that partially came down in area of Oak Street near Sixth Street as a result of both storms that came through area.
- Set up and cleaned up after Hot Dog Event sponsored by Village and Town for area residents.
- Dropped off cones, garbage containers and bags and picked same up at the Heritage Center. Items were used for their Heritage Days Activities.
- Dropped off and picked up Alumni items that were used for the Alumni Dinner that occurred at the Robert H. Livingston Community Center.
- Water service at 39 Chestnut Street was re-connected by the water customer's contractor so leaking service that serviced 83 North Fourth and 39 Chestnut Street could be shut off. Water customer at 83 North Fourth Street will need to replace the water service line before water is reestablished at the residence.
- Worked on grinding out and putting in new blacktop at various bad spots in roadway on Union Street in preparation to be resealed.
- Worked on grinding out and putting in new blacktop at various bad spots in roadway on Chestnut and Harriet Street in preparation to be resealed.
- Worked on filling cracks with crack fill in roadways in need of same.
- Fixed water service shut off that leads to the Medical Center Bldg on the Third Street side.
- Fixed a leaking water service shut off that services the Library on West Main Street.
- Flushed and ran root cutter through sewer line on North Fourth Street between Chestnut and Maple Avenue.

DPW REPORT FOR THE MONTH OF SEPTEMBER 2012

- Swept streets in village with street sweeper.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Cleaned off tops of Storm Sewer Catch Basins as needed.
- Covey Tree removed dangerous trees in areas throughout Village. Trees were removed from: Three from Oak Street, One from Fourth Street, One from Third Street, Two from Fifth Street. Stumps of same were also grinded.
- Cleaned up areas where tree stumps were grinded out. Put fill, topsoil and grass seed down in all areas.
- Installed water line at Well House #3 for future Chlorine/Fluoride Monitoring Equipment hookup. Made restorations to area dug up to install same.
- Worked on grinding out and putting in new blacktop at various bad spots in roadway on Union Street in preparation to be resealed.
- Worked on grinding out and putting in new blacktop at various bad spots in roadway on Sixth Street in preparation to be resealed.
- Worked on filling cracks with crack fill in roadways in need of same.
- Assisted National Grid in taking down a large tree on North Fifth Street that was dangerous and also protruding into the sidewalk area. Hauled wood from a tree and made restorations to area after stump was grinded by Covey Tree.
- Found a sinkhole on Union Street in area across from the Union Street entrance to Saint Bonaventure University. Dug up roadway and replaced a storm sewer pipe that had a hole in same. Also dug out drainage ditch in area as it was full of debris. Working on cleaning out storm sewer pipes in area. Assisted by Town.
- Resurfaced all of Union Street, all of Sixth Street, all of Harriett Street and Chestnut Street from Harriett Street to North Third Street with Fiber Seal and Limestone. Assisted by the City and Town of Olean.
- Worked on unclogging a large sewer clog in the area behind the Allegany Limestone Central School District Elementary School Building. Ran root cutter through line and flushed same to help prevent another clog in area. City of Olean also brought their machine and ran root cutter through line. Everything appeared to be clear in line. School maintenance to schedule future routine maintenance to help prevent future problems.
- Started picking up weeds, leaves, tree limbs and other yard waste that was put out to curbs by village residents.

DPW REPORT FOR THE MONTH OF SEPTEMBER 2012 *Continued*

- Put out and picked up street road detour signs designating detour prior to and after the Annual BONAGANY Event.
- Cleaned up Main Street area after the Annual BONAGANY Event. Assisted by Town.
- Water meters were read for water/sewer quarterly billing.
- Dug up and disconnected the Water and Sewer lines to the Firemen's House on North First in preparation for the building to be taken down in near future.
- New pickup truck that was ordered was delivered and is being prepared to be put into service.
- Contacted Koestner to arrange for new SCADA Equipment to be installed at the Water Well Houses. Arrangements are being made.

DPW REPORT FOR THE MONTH OF OCTOBER 2012

- Picked up weeds, leaves, tree limbs and other yard waste that was put out to curbs by village residents.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Cleaned off tops of Storm Sewer Catch Basins as needed.
- Started flushing sewers – flush all.
- Continued running water lines and drain lines in all water well houses to areas where the Chlorine and Fluoride monitors will be hooked up per SCADA installation preparation.
- Met with Cattaraugus County DPW who will be assisting us with installing guardrails along the edge of the roadway on Union Street across from the west entrance to SBU University. Need to protect and make safe an area where a drainage ditch was dug out as it was full of debris. Guardrails should be installed sometime next month.
- New pickup truck that was purchased was put into service.
- Installation of Fluoride and Chlorine Monitoring Equipment, final stages of the newly installed SCADA, is ongoing at the Water Well Houses. The fluoride monitors have been installed and the chlorine monitors should be installed within the next couple of weeks.
- Cleaned out and reorganized back shop area to make room for all equipment to get inside over the winter months.
- Painted crosswalks on streets in areas where streets were resurfaced.
- Set up generators at the sewer lift stations in preparation of a large storm that was predicted to come into our area. Ran generators at sewer lift stations and water well house number two to assure they were working appropriately. Two new batteries were purchased and installed on sewer generators and trickle chargers were purchased to keep them charged during storage. Generators were sent out to be serviced when removing them from lift stations prior to them being put back in storage. Generators are approximately 30 years old and I would recommend the board to start planning on saving funds in reserves to replace them.

DPW REPORT FOR THE MONTH OF NOVEMBER 2012

- Picked up weeds, leaves, tree limbs and other yard waste that was put out to curbs by village residents. Last day of pickup was Nov 14th.
- Sanded/salted streets as needed.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Cleaned off tops of Storm Sewer Catch Basins as needed.
- Hauled sand to be mixed with salt for road surface treatment during the winter months.
- Mixed sand and salt for road surface treatment during the winter months.
- Getting equipment ready for winter month usage.
- Took down flags from Main Street light poles.
- Put up Christmas decorations on Main Street light poles in preparation for Christmas in Allegany Event.
- Put up Christmas decorations on Municipal Building in preparation for Christmas in Allegany Event.
- Assisted with getting Santa House ready to be used for the annual Christmas in Allegany Event
- Finished water lines and drain lines in all water well houses to areas where the Chlorine and Fluoride monitors will be hooked up per SCADA installation preparation.
- Cattaraugus County DPW assisted us with installing guardrails along the edge of the roadway on Union Street across from the west entrance to SBU University. Needed to protect and make safe an area where a drainage ditch was dug out as it was full of debris.
- Installation of Fluoride and Chlorine Monitoring Equipment, final stages of the newly installed SCADA, is ongoing at the Water Well Houses. The fluoride monitors have been installed. Fluoride pumps at Well House One and Well House Two are not working properly so we are in the process repairing same (repairing one pump and have a pump on order). When the fluoride issues are taken care of we will schedule to have the chlorine monitors installed.

DPW REPORT FOR THE MONTH OF DECEMBER 2012

- Sanded and plowed snow from streets and lots and plowed snow from sidewalks as needed.
- Lance did Code as needed – see Code Enforcement Blotter.
- Did water, sanitary sewer and storm sewer locates as needed.
- Cleaned off tops of Storm Sewer Catch Basins as needed.
- Water meters were read for water/sewer quarterly billing.
- Worked on and completed testing Back-Flow Devices at area businesses in the town required to have them.
- Dug up and repaired the water service shutoff in front of 126 North First Street.
- Dug up and repaired the water service shutoff in front of 54 Maple Avenue.
- Started picking up Christmas Trees that were put out to curbs by village residents.
- Had problems with the sidewalk plow overheating and sparking while snow blowing snow off the overhead bridge on Rte. 417. Portville Truck was called in to tow vehicle. Portville Truck checked vehicle over and everything appears to be ok and sidewalk plow is back in service. Debris may have gotten into engine area and caught fire; causing smoke and sparks to come from the engine compartment.
- Worked on fixing the fluoride pumps at Well House One and Well House Two as they were not working properly. Have contacted Koestner to schedule to have the chlorine monitors installed at all well houses