

**VILLAGE OF ALLEGANY
SPECIFICATIONS FOR A MUNICIPAL LEAF RECIEVER BOX**

It is the intent of these specifications to describe a leaf receiver box that is placed in a truck dump box and is able to collect leaves picked up by a tow behind municipal leaf mulcher / vacuum.

The leaf box receiver is to be put on the back of a dump truck and used by Department of Public Works employees for the collecting of discharged leaves that are picked up by a municipal leaf mulcher/ vacuum after being put out to side of road by village residents. All parts and attachments not specifically mentioned but necessary to furnish complete equipment shall be included.

Bidders must respond to each section of the specification with a "yes" or "no" for each section. If the "yes" box is checked, the bidder is expected to supply exactly what is described. If the "no" box is checked, a detailed explanation of the deviation must be provided, on this form or on a separate sheet of paper, no matter how minor it may be. Failure to respond to either "yes" or "no", the bid may be rejected for non-compliance.

YES	NO
------------	-----------

CONSTRUCTION:

One-piece unitized construction. Shall have at least 12-gauge steel panels and 7 gauge x 1½" thick angle frame supports.

--	--

DOOR:

Door shall be hinged at the top with at least 12-gauge steel door panels. The door shall have a hose support and a flexible rubber gasket with a 16" diameter hole to accommodate an exhaust hose.

--	--

HINGES:

Shall have four (4) cleave type hinges which are constructed of 3/8" thick steel with a 3/4" thick pin.

--	--

DOOR LATCH:

The door shall have an easy-open latch, with a convenient handle that easily locks and unlocks the box door for dumping.

--	--

**VILLAGE OF ALLEGANY
SPECIFICATIONS FOR A MUNICIPAL LEAF RECIEVER BOX CONTINUED**

YES

NO

RUBBER GASKET:

Shall have a 16" diameter hole, positioned to support the bottom of the exhaust hose 40" from the bottom of the box. Other heights and hole diameters shall be available as an option.

LIFTING EYES:

Shall have lifting eyes, two on each corner, welded to the top of the box allowing the box to be lifted easily with a crane or hoist.

INSIDE THE BOX:

The inside of the box shall have a smooth interior for easy dumping and shall be equipped with heavy-duty rubber deflector to stop debris from hitting the front of the box.

FLOOR PANEL:

Box floor shall be a short floor panel that allows the box to over-hang the back of the truck by as much as 12 inches.

TOP AND SCREEN:

The top of the receiver box shall be vented with at least 1/4" expanded flattened steel. The screen shall be supported with at least 1/8" x 1 1/2" angle frames.

DIMENSIONS:

78" wide x 72" tall x 108" long (with additional length increments of 6 inches)

DUMP BODY MOUNTING:

Accessory kit for securing collection box to dump body of dump truck.

**VILLAGE OF ALLEGANY
SPECIFICATIONS FOR A MUNICIPAL LEAF RECIEVER BOX CONTINUED**

YES

NO

PAINT:

The box shall be primed with a rust inhibitor paint and painted with two coats of automotive quality paint.

--

--

NOTE: When ordering Leaf Receiver Box – the buyer will advise the height and size of the discharge tube from center to ground and the height of the dump truck body (floor) to ground.